

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Todd Guise on July 15, 2008.

The application has been amended as follows:

IN THE CLAIMS:

Claim 30:

On line 7, "monitoring unit configured to make" was changed to --monitoring unit making--.

Claim 68: CANCELLED

2. The following is an examiner's statement of reasons for allowance: The prior art made of record does not disclose or teach an information processing device for a diver having the specific structure and relationship as claimed in claims 30, 40, 49, and 58 including feature which prevents the automatic switching from a first cylinder to a second cylinder once a possibility of oxygen deficiency or oxygen poisoning is

Art Unit: 3771

determined in the second cylinder by the oxygen partial pressure calculating and monitoring unit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Annette F. Dixon whose telephone number is (571) 272-3392. The examiner can normally be reached on Monday thru Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Justine R Yu/
Supervisory Patent Examiner, Art Unit 3771

Annette F Dixon
Examiner
Art Unit 3771

/Annette F Dixon/
Examiner, Art Unit 3771